

## GARGAS II ISO 18KV



PIGMENTED SPLIT LEATHER BOOT - ASTM F 2413-11 M I/75 C/75 PR EH

Ref. GARG2ISNO



### Product specifications

Upper: Pigmented split leather.  
Lining: Polyamide absorbing.  
Insole: Removable - Polyamide on EVA.  
Outsole: Injected - Dual-density PU.

#### COLOUR

Black

#### SIZE

35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48

### Product Use - Risks



Shock



Cutting / Perforation



Slip



Construction / Civil engineering



Second work / craftman



Light industry



Services / Logistics



Mining

## Product's highlights & user's benefits

COMPOSITE

COMPOSITE

## Certifications and Standards


### USA STANDARDS



ASTM F 2413:2011 Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear

18 KV M I/75 C/75 EH PR: Additional special requirements

References

References	Bar code	COLOUR	SIZE		
GARG2ISNO35	3295249158873	Black	35	10	-
GARG2ISNO36	3295249158880	Black	36	10	-
GARG2ISNO37	3295249158897	Black	37	10	-
GARG2ISNO38	3295249158903	Black	38	10	-
GARG2ISNO39	3295249158910	Black	39	10	-
GARG2ISNO40	3295249158927	Black	40	10	-
GARG2ISNO41	3295249158934	Black	41	10	-
GARG2ISNO42	3295249158941	Black	42	10	-
GARG2ISNO43	3295249158958	Black	43	10	-
GARG2ISNO44	3295249158965	Black	44	10	-
GARG2ISNO45	3295249158972	Black	45	10	-
GARG2ISNO46	3295249158989	Black	46	10	-
GARG2ISNO47	3295249158996	Black	47	10	-
GARG2ISNO48	3295249159009	Black	48	10	-