

EOS VV900JA



GLOVE WITH PU/POLYAMIDE PALM + DOTS - POLYESTER/PU BACK - BACK REINFORCEMENTS Ref. VV900







Ürün özellikleri

Polyester/polyurethane back. PVC reinforcements. Polyamide/polyurethane palm with PVC dots. Kevlar® seams. 8 cm cuff in neoprene.

Palm: Polyamide/ polyurethane microfibre.

Dots: PVC.

Back: Polyester/ polyurethane knit.

Back reinforcement: PVC.

Wrist: Neoprene.

COLOUR

Yellow-Grey-Black

SIZE

08, 09, 10, 11, 12



Ürün kullanımları - Riskler



CUTTING



Wearing



Shock



PERFORATION



Construction / Civil engineering



Second work / craftmar



Heavy industry



Services / Logistics



Oil / Gas



+ Ürünler - Kullanıcı faydaları						
€	Double layer of polyamide/ polyurethane on palm with non-slip PVC dots	Longer life due to its very good abrasion resistance Good grip of handled objects				
On the state of th	Flexible reinforcements	Increased protection from impacts and pinches				
M	Reinforcement between the thumb and index finger and on the palm.	Increased lifespan				
EOB	Identification badge Belt attachment					
7	Available only with header card					
	Protection of the metacarpal area against low energy shocks <2J					
	8 cm cuff in neoprene	Good glove retention for high security				
	Velcro closure	Perfect adjustment Reduced discomfort at the wrist, during prolonged use				
	Yellow colour	Easy visual identification at the workstation				
B	Cut level B					



Sertifikalar - Normlar

ϵ

REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

3: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 3: Resistance to abrasion (from 1 to 4)
- 2: Resistance to cutting (from 1 to 5)
- 3: Resistance to tear (from 1 to 4)
- 3: Resistance to puncture (1 to 4)
- B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)
- P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

Referanslar							
Referanslar	Barkod	COLOUR	SIZE	•	À		
VV900JA08	3295249176518	Yellow-Grey-Black	08	60	12		
VV900JA09	3295249174064	Yellow-Grey-Black	09	60	12		
VV900JA10	3295249174071	Yellow-Grey-Black	10	60	12		
VV900JA11	3295249174088	Yellow-Grey-Black	11	60	12		
VV900JA12	3295249196004	Yellow-Grey-Black	12	60	12		