# Safety Data Sheet ADESILEX P9 GREY

Safety Data Sheet dated: 20/05/2019 - version 1

Date of first edition: 20/05/2019



#### 1: Identification

#### **GHS Product Identifier**

Mixture identification:

Trade name: ADESILEX P9 GREY

Recommended use of the chemical and restrictions on use

Recommended use: Cement based powder adhesive

Uses advised against: Data not available

Supplier's details



#### 2: Hazard identification

#### Classification of the substance or mixture

Skin Irrit. 2 Causes skin irritation.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1B May cause an allergic skin reaction.

STOT SE 3 May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

## GHS label elements, including precautionary statements

### **Pictograms and Signal Words**



# Danger

#### **Hazard statements:**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.H335 May cause respiratory irritation.

#### **Precautionary statements:**

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P321 Specific treatment (see supplementary instructions on this label)
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with applicable regulations.

## Other hazards which do not result in a classification

No other hazards

Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 1 of 6

## 3: Composition/information on ingredients

#### **Substances**

Not available

**Mixtures** 

## Hazardous components within the meaning of GHS and related classification:

| Concentration (% w/w) | Name                            | Ident. Numb.                   | Classification  | Registration Number |
|-----------------------|---------------------------------|--------------------------------|---|---------------------|
| ≥25 - <50 %           | portland cement, Cr(VI) < 2 ppm | CAS:65997-15-1<br>EC:266-043-4 | Skin Irrit. 2, H315; Skin Sens. 1B,<br>H317; Eye Dam. 1, H318; STOT<br>SE 3, H335 |                     |

#### 4: First-aid measures

#### Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eves contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

#### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Ervthema

## Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment: Not available

## 5: Fire-fighting measures

#### **Extinguishing media**

#### Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

## Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

## Special protective actions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

## **Environmental precautions**

Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 2 of 6

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

#### 7: Handling and storage

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

# 8: Exposure controls/personal protection

## **Control parameters**

# List of components with OEL value

| List of components with OEL value  |             |                         |         |                       |                     |                        |                      |           |   |
|------------------------------------|-------------|-------------------------|---------|-----------------------|---------------------|------------------------|----------------------|-----------|---|
| Component                          | OEL<br>Type | Country                 | Ceiling | Long<br>Term<br>mg/m3 | Long<br>Term<br>ppm | Short<br>Term<br>mg/m3 | Short<br>Term<br>ppm | Behaviour | Note  |
| portland cement, Cr(VI)<br>< 2 ppm | MEX         | MEXICO                  |         | 1                     |                     |                        |                      |           |   |
|                                    | IND         | INDIA                   |         | 10                    |                     |                        |                      |           |   |
|                                    | IDN         | INDONESIA               |         | 10                    |                     |                        |                      |           | 5 mg/m3 TWA (containing<br><1% of free Silica,<br>respirable dust);10 mg/m3<br>TWA (containing <1% of<br>free Silica, total dust) |
|                                    | ZAF         | SOUTH AFRICA            |         | 10                    |                     |                        |                      |           |   |
|                                    | ZAF         | SOUTH AFRICA            |         | 5                     |                     |                        |                      |           |   |
|                                    | ARE         | UNITED ARAB<br>EMIRATES |         | 10                    |                     |                        |                      |           |   |
|                                    | PAN         | PANAMA                  |         | 5,000                 |                     |                        |                      |           |   |

10

10

20

Appropriate engineering controls: Not available

IDN

COL

PER

PAN

PAN

PAN

## Individual protection measures, such as personal protective equipment (PPE)

INDONESIA

COLOMBIA

**PERU** 

**PANAMA** 

**PANAMA** 

**PANAMA** 

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

10

1

10

10

10

Protection for hands

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 3 of 6

## 9: Physical and chemical properties

Color Grey

Appearance: powder Odour: cement like

Odour threshold: Not available

pH in water dispersion: 12,50 pH: Not available

Melting point / freezing point: Not available

Initial boiling point and boiling range: Not available

Flash point: Not available Evaporation rate: Not available Flammability (Solid, Gas): Not available

Upper/lower flammability or explosive limits: Not available

Vapour pressure: Not available Vapour density: Not available Relative density: Not available Solubility in water: partly soluble

Solubility in oil: insoluble

Partition coefficient (n-octanol/water): Not available

Auto-ignition temperature: Not available Decomposition temperature: Not available

Viscosity: Not available

## 10: Stability and reactivity

#### Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

## **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

## **Hazardous decomposition products**

None.

# 11: Toxicological information

# Information on toxicological effects

Toxicological information of the product: No data available

## 12: Ecological information

## **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

No data available

# Persistence and degradability

Not available

## **Bioaccumulative potential**

Not available

# Mobility in soil

Not available

## Other adverse effects

No Components with evironmental hazard properties found.

Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 4 of 6

#### 13: Disposal considerations

#### Disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

## 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

Not available

#### **UN proper shipping name**

Not available

## Transport hazard class(es)

Not available

## Packing group, if applicable

Road and Rail ( ADR-RID ):

Not available

Air (IATA):

Not available

Sea ( IMDG ):

Not available

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

#### Special precautions for user

Not available

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

#### 15: Regulatory information

## Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Fifth revised edition.

#### 16: Other information

| Code | Description                          |
|------|--------------------------------------|
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage.           |
| H335 | May cause respiratory irritation.    |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Insert here further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 5 of 6

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.



Print date 29/03/2022 Production Name ADESILEX P9 GREY Page n. 6 of 6